




Atomizer 12
WR2 - "Size" - 45°

12-E6F1-4G-E

16-10-18



Size	[kg/h]
20	
25	
32	
40	
50	
60	
70	
80	
90	
100	
115	
130	
145	
160	
180	
200	
225	
250	
275	
300	
330	
360	
400	
450	
500	
550	
600	
650	
700	
750	
800	

GENERAL DATA:

Test oil viscosity: 5 cSt.

Supply pressure: 25 Bar.

Max. output with closed return line.


Turn down 1:4 up to 100 at 10 bar return pressure,
over 100 at 8 bar return pressure.

Max. output	up to 80	0% +10%
	up to 180	0% +7%
	over 180	0% +5%

Spray angle: Max. output 45° +5°
Turned down 63° +10°

ORDERING: please specify:

- Atomizer type
- Size
- Spray angle
- Quantity






Atomizer 12
WR2 - "Size" - 50°

12-E6GM-4G-E

16-10-18



Size	[kg/h]
20	
25	
32	
40	
50	
60	
70	
80	
90	
100	
115	
130	
145	
160	
180	
200	
225	
250	
275	
300	
330	
360	
400	
450	
500	
550	
600	
650	
700	
750	
800	

GENERAL DATA:

Test oil viscosity: 5 cSt.

Supply pressure: 25 Bar.

Max. output with closed return line.


Turn down 1:4 up to 100 at 10 bar return pressure,
over 100 at 8 bar return pressure.



Max. output	up to 80	0% +10%
	up to 180	0% +7%
	over 180	0% +5%

Spray angle: Max. output 50° +5°
Turned down 68° +10°

ORDERING: please specify:


- Atomizer type
- Size
- Spray angle
- Quantity





GENERAL DATA:

- Atomizer type
- Size
- Spray angle
- Quantity



Test oil viscosity: 5 cSt.

Supply pressure: 25 bar.

Max. output with closed return line.

Turn down 1:4 up to 100 at 10 bar return pressure,
over 100 at 8 bar return pressure.

Max output: up to 80 0% +10%
up to 180 0% +7%
over 180 0% +5%

Spray angle: Max. output 60° +5°


Turned down $78^{\circ} + 10^{\circ}$



Atomizer 12
WR2 - "Size" - 30°

12-E6A1-4G-E

16-10-18



Size	[kg/h]
20	
25	
32	
40	
50	
60	
70	
80	
90	
100	
115	
130	
145	
160	
180	
200	
225	
250	
275	
300	
330	
360	
400	
450	

GENERAL DATA:

Test oil viscosity: 5 cSt.

Supply pressure: 25 Bar.

Max. output with closed return line.


Turn down 1:4 at 15 bar return pressure.

Max. output	up to 80	-2% +8%
	up to 180	-2% +5%
	over 180	-2% +3%

Spray angle: Max. output 30° +5°
Turned down 55° +10°

ORDERING: please specify:

- Atomizer type
- Size
- Spray angle
- Quantity






Atomizer 12
WR2 - "Size" - 35°

12-E6BM-4G-E

16-10-18



Size	
[kg/h]	
20	
25	
32	
40	
50	
60	
70	
80	
90	
100	
115	
130	
145	
160	
180	
200	
225	
250	
275	
300	
330	
360	
400	
450	
500	
550	
600	
650	

GENERAL DATA:

Test oil viscosity: 5 cSt.

Supply pressure: 25 Bar.

Max. output with closed return line.

Turn down 1:4 at 13.5 bar return pressure.

Max. output	up to 80	-2% +8%
	up to 180	-2% +5%
	over 180	-2% +3%

Spray angle: Max. output 35° +5°
Turned down 54° +10°

ORDERING: please specify:

- Atomizer type
- Size
- Spray angle
- Quantity

